

Choose your *expert*.
Change your *health*.



CERTIFICATE OF ANALYSIS FINISHED PRODUCT

Product Name: MedCaps IS 60C

Material Number: 300000968

Process Order / Packaging Lot: 20013320

Formula Code: 200000165

Batch Lot: 10005478

Manufacturing Date: 12/2025

Expiration Date: 11/2027

Identity and Composition:

Test	Specification	Method	Results
Capsule Size	"00E"/25.30 ± 0.30 mm	Gauge/Xymogen	Pass
Color	Clear capsule containing tan powder with dark specks	Visual/Xymogen	Pass
Dosage Form	Two-Piece Capsule	Visual/Xymogen	Pass
Weight Average	896.978 mg (852.129 mg - 941.827 mg)	USP <2091>/Xymogen	865.782 mg
Disintegration (min.)	NMT 30 minutes	USP <2040>/Xymogen	10 minutes
Weight Variation	Complies	USP <2091>/Xymogen	Complies

Strength:

Test	Specification (2 capsules)	Method	Results
Thiamin (as thiamine HCl)	NLT 100 mg	AM-100/Xymogen	113 mg
Niacin (as niacinamide)	NLT 100 mg	AM-100/Xymogen	108 mg
Biotin	NLT 10,000 mcg	AM-118/Xymogen	12,000 mcg
Chromium (as chromium nicotinate glycinate chelate)	1,000 mcg - 2,000 mcg	AM-001/Xymogen	1,156 mcg
Fenugreek Extract (Trigonella foenum-graecum) (seeds)	300 mg - 600 mg	EXEMPT-2025-0005/Xymogen	300 mg
Bitter Gourd Extract (Momordica charantia (fruit)	150 mg - 300 mg	EXEMPT-2025-0005/Xymogen	150 mg
Gymnema 5:1 Extract (Gymnema sylvestre) (leaf)	100 mg - 200 mg	EXEMPT-2025-0005/Xymogen	100 mg
Vanadium (as vanadium nicotinate glycinate chelate)	5 mg - 10 mg	AM-001/Xymogen	6 mg

Purity:

Test	Specification	Method / Lab	Results	Reference
Total Plate Count	NMT 10,000 CFU/g	QC-017 / Xymogen	<10,000 CFU/g ⁽¹⁾	Batch Record
Yeast & Mold	NMT 1,000 CFU/g	QC-017 / Xymogen	<1,000 CFU/g ⁽¹⁾	Batch Record
E. coli	Negative / 10g	QC-017 / Xymogen	Negative / 10g ⁽¹⁾	Batch Record
Salmonella	Negative / 10g	QC-017 / Xymogen	Negative / 10g ⁽¹⁾	Batch Record

Contaminants:

Test	Specification	Method / Lab	Results	Reference
Arsenic (As)	≤10 mcg/2 capsules	AM-003/Xymogen	0.1 mcg	LN 609 Page 167
Cadmium (Cd)	≤4.1 mcg/2 capsules	AM-003/Xymogen	0.01 mcg	LN 609 Page 167
Lead (Pb)	≤0.5 mcg/2 capsules	AM-003/Xymogen	0.03 mcg	LN 609 Page 167
Mercury (Hg)	≤0.3 mcg/2 capsules	AM-003/Xymogen	NMT 0.01 mcg	LN 609 Page 167

⁽¹⁾Microbiology test results obtained from Campaign Lot# 20013321

Prepared by:

cb720

Date:

01/16/26

QA Approved:

[Signature]

Date:

01/16/26